

TABLE 1

ALCOHOL USE
High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	Consumed Alcohol Within the Past 30 Days					Consumed Five or More Drinks in a Row Within the Past 30 Days					Drove After Drinking Alcohol Within the Past 30 Days				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	51.3	50.0	53.9	50.7	47.7	35.2	31.2	37.0	35.7	32.6	20.1	18.4	22.7	20.9	19.8
Male*	52.1	49.9	54.7	52.4	48.7	37.7	32.4	39.6	38.5	34.1	21.5	22.3	25.5	25.5	23.9
Female*	50.8	50.0	52.9	50.6	46.7	32.8	29.9	33.8	35.1	31.1	19.0	14.7	19.6	17.7	15.9
White*	52.5	50.5	54.4	51.1	48.3	36.4	31.6	37.2	36.3	33.8	21.2	18.3	23.1	21.3	19.9
Non-White or Hispanic*	40.6	46.6	52.5	53.4	46.8	24.0	27.9	34.6	33.7	21.9	10.0	21.2	19.7	21.6	21.4
GRADE 9th	42.5	42.2	47.4	48.2	38.2	27.8	23.6	29.5	30.4	22.4	9.3	9.2	12.9	11.9	6.9
10th	44.8	48.9	48.1	45.4	45.6	28.1	29.6	32.7	29.2	29.8	13.6	13.3	19.0	13.1	14.6
11th	58.3	54.1	52.0	48.4	55.2	39.7	34.2	38.4	32.6	38.8	27.0	23.7	27.6	24.2	26.6
12th	60.3	55.0	69.1	61.3	52.1	45.8	37.8	48.1	51.6	39.9	31.4	28.1	31.9	35.5	31.9

* Represents Grade Adjusted Data

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

TABLE 2

TOBACCO/MARIJUANA USE
High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	Smoked Cigarettes Within the Past 30 Days					Smoked Cigarettes Every Day Within the Past 30 Days					Ever Used Marijuana				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	39.6	32.5	38.8	40.7	34.6	18.3	12.9	14.3	13.5	10.7	34.2	26.1	36.5	41.0	36.3
Male*	40.2	31.7	38.8	41.0	33.9	20.1	14.8	15.8	13.8	11.6	38.7	31.3	40.5	45.4	37.9
Female*	39.0	33.2	38.3	41.1	35.2	16.2	10.8	12.8	13.2	10.0	29.7	21.0	32.7	37.3	34.9
White*	39.9	33.1	39.1	41.6	34.3	18.0	12.8	14.4	13.7	11.0	33.2	25.3	35.1	41.0	35.9
Non-White or Hispanic*	36.7	28.1	34.7	34.9	38.9	21.5	14.1	13.4	16.5	9.3	43.0	37.1	46.7	43.4	42.7
GRADE 9th	32.9	26.6	38.0	39.1	24.3	13.0	9.2	13.6	9.6	4.8	26.8	19.6	34.6	39.4	27.1
10th	32.4	31.0	31.0	30.8	31.7	15.7	10.3	10.6	11.5	7.8	27.8	21.0	27.3	33.8	31.6
11th	45.6	37.0	42.3	38.9	40.8	21.6	13.2	16.7	13.7	16.8	38.7	31.5	38.6	40.0	39.3
12th	47.9	35.7	44.2	54.8	42.0	23.1	19.1	16.6	19.4	13.7	44.2	32.9	46.2	51.6	47.9

**Represents Grade Adjusted Data*

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

TABLE 3

DRUG USE
High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	Used Marijuana Within the Past 30 Days					Ever Used Cocaine					Used Cocaine Within the Past 30 Days				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	17.3	14.1	22.5	24.6	18.3	5.8	4.5	4.7	9.4	5.6	1.3	2.1	2.1	3.6	1.7
Male*	20.8	18.4	25.2	29.0	19.1	7.1	5.7	5.7	12.2	5.9	1.9	3.0	2.6	5.4	2.0
Female*	13.6	9.7	19.3	19.6	17.8	4.5	3.2	3.8	6.5	5.4	0.7	1.1	1.6	1.8	1.4
White*	16.8	13.8	21.3	23.7	17.6	5.6	4.0	3.9	9.3	5.3	1.4	1.7	2.0	3.4	1.3
Non-White or Hispanic*	21.6	19.3	29.7	34.9	27.7	8.1	11.6	10.7	14.5	8.8	0.7	5.7	2.5	5.9	5.5
GRADE 9th	13.1	10.7	24.2	25.3	13.7	5.0	6.1	7.3	5.8	4.5	1.8	4.0	3.1	2.6	1.9
10th	15.7	11.1	14.8	19.2	16.5	5.0	2.2	3.7	4.6	4.4	1.4	1.1	1.9	3.1	0.5
11th	19.1	17.8	21.5	22.1	20.9	4.4	4.6	4.5	11.6	7.1	0.5	1.4	1.6	5.3	2.2
12th	21.5	16.8	29.8	32.3	22.5	9.1	5.2	3.3	16.1	6.6	1.7	1.7	1.7	3.2	2.3

**Represents Grade Adjusted Data*

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

TABLE 4

DRUG USE
High School Students

PERCENT OF COHORT WHO REPORTED HAVING:		Ever Inhaled Drugs					Ever Used Methamphetamine					Ever Injected Drugs					
		1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	
ALL STUDENTS*		<i>Not included in the 1991 or 1993 surveys.</i>		15.8	15.4	10.9	<i>Not included in the 1991, 1993, 1995, or 1997 surveys</i>					7.4	6.5	6.4	2.4	2.9	1.3
Male*				15.8	13.7	11.2						7.0	6.5	8.6	2.7	3.8	1.5
Female*				15.7	17.1	10.6						7.8	6.6	4.5	2.2	3.4	1.1
White*				15.6	15.1	10.2						6.9	6.2	6.5	2.1	3.1	0.9
Non-White or Hispanic*				16.3	19.6	17.8						13.5	10.4	5.7	4.7	0.6	4.7
GRADE 9th				23.6	20.9	13.2						7.2	7.7	8.3	4.2	0.6	1.7
10th				12.2	13.8	10.2						4.4	5.3	4.4	1.4	4.6	1.0
11th				12.6	16.8	13.7						9.3	4.9	6.4	2.4	3.2	1.1
12th				14.8	9.7	6.1						8.9	8.3	6.6	1.6	3.2	1.4

*Represents Grade Adjusted Data

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

TABLE 5

VIOLENCE High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	Been Involved in a Physical Fight Within the Past 12 Months					Carried a Weapon (gun, knife, or club) Within the Past 30 Days					Carried a Gun Within the Past 30 Days				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	39.9	33.6	30.5	32.7	29.7	23.2	19.2	18.5	21.0	14.6	<i>Not Included in the 1991 survey.</i>	8.0	8.8	8.3	5.1
Male*	52.1	45.5	40.8	39.8	41.7	38.9	32.4	29.3	34.8	27.3		14.8	14.9	15.1	10.2
Female*	27.1	21.8	20.6	27.5	18.7	7.2	6.6	7.3	8.0	4.0		1.4	2.9	1.6	0.4
White*	38.9	32.2	28.6	31.7	29.7	22.5	18.6	16.7	20.2	15.1		7.4	8.1	8.1	4.8
Non-White or Hispanic*	47.4	48.1	48.9	42.7	29.9	30.1	26.2	38.4	31.1	16.8		14.3	16.9	15.4	8.0
GRADE 9th	49.4	42.0	38.4	43.9	37.5	29.3	24.8	22.8	19.9	16.7		11.9	10.4	6.4	3.9
10th	36.3	34.8	30.6	29.2	30.6	23.2	15.9	15.7	18.5	12.9		4.1	7.9	6.9	5.8
11th	40.2	27.8	25.5	31.6	32.1	21.7	18.7	17.9	20.0	17.9		8.7	8.1	10.5	6.0
12th	33.1	29.4	27.5	25.8	17.8	18.2	17.3	17.6	25.8	10.8		7.4	8.8	9.7	4.7

*Represents Grade Adjusted Data

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

TABLE 7

HELMET AND SEATBELT USE

High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	Always Wear a Seatbelt When Riding in Car Driven by Someone Else					Never or Rarely Wear a Helmet (Motorcycle Riders)					Never or Rarely Wear a Helmet (Bicycle Riders)				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	16.7	33.5	34.5	39.0	36.4	39.3	40.8	38.9	42.0	35.9	98.1	95.0	94.5	92.1	90.8
Male*	14.2	26.2	31.7	36.0	31.6	44.4	43.1	43.1	66.2	46.7	96.8	93.3	92.7	91.7	92.6
Female*	19.2	40.9	37.7	42.6	41.0	31.1	37.4	29.6	26.6	20.1	99.3	96.6	97.0	92.8	89.1
White*	17.2	34.0	34.8	40.4	37.7	38.4	40.9	35.7	43.7	34.7	98.0	94.8	94.6	92.8	90.4
Non-White or Hispanic*	11.8	28.1	28.8	20.1	23.0	49.8	38.2	73.7	21.2	39.0	97.8	97.6	94.2	90.3	94.4
GRADE 9th	14.2	29.4	27.0	27.9	33.5	40.9	44.6	38.9	43.1	37.4	98.6	96.7	93.9	91.2	88.8
10th	19.9	35.2	35.8	45.4	34.0	39.7	37.3	44.7	60.0	30.0	98.3	95.6	93.1	91.2	93.6
11th	15.8	28.8	37.2	37.9	38.6	32.4	35.8	48.7	25.0	45.7	97.5	94.9	96.5	89.9	89.3
12th	16.8	41.1	38.1	45.2	39.9	44.4	46.0	22.2	40.0	30.0	97.8	92.5	94.5	96.2	91.7

*Represents Grade Adjusted Data

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

TABLE 6

SUICIDE
High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	Seriously Considered Suicide Within the Past 12 Months					Made a Plan to Attempt Suicide Within the Past 12 Months					Attempted Suicide Within the Past 12 Months				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	29.3	26.7	22.5	25.4	18.3	21.2	20.8	17.4	14.9	14.8	11.1	8.6	8.1	7.2	8.1
Male*	20.0	22.3	13.9	20.7	13.0	16.9	19.2	12.5	12.7	13.1	6.1	6.9	6.2	6.1	7.2
Female*	38.9	33.2	30.1	29.2	23.2	25.7	22.1	21.8	16.3	16.3	16.2	10.0	10.1	7.8	9.0
White*	28.8	25.8	22.3	25.2	18.1	20.9	20.0	16.9	15.2	14.6	10.4	7.6	6.8	7.0	7.5
Non-White or Hispanic*	34.8	36.4	18.0	27.8	20.0	24.8	28.7	18.5	10.5	16.9	18.3	18.8	7.8	8.4	14.2
GRADE 9th	29.4	30.5	25.9	25.1	17.5	22.8	23.6	21.7	17.1	13.6	14.3	13.5	15.2	10.6	13.2
10th	32.5	25.7	21.9	25.4	18.9	24.6	20.7	19.0	14.6	11.2	12.8	7.0	8.8	8.5	5.3
11th	26.0	26.1	22.0	25.3	20.7	17.6	20.1	15.9	17.9	17.9	8.8	7.3	4.5	6.3	7.7
12th	29.2	24.5	19.9	25.8	15.9	19.8	18.8	12.6	9.7	16.4	8.3	6.5	3.8	3.2	6.1

**Represents Grade Adjusted Data*

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

TABLE 8

SEXUAL BEHAVIOR
High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	Ever Had Sex					Had More than One Sex Partner					Had Sex Within the Past Three Months				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	51.6	44.9	44.2	46.5	36.2	34.6	27.2	27.0	24.8	19.2	34.8	30.5	29.7	29.0	23.3
Male*	56.1	49.7	45.1	49.1	37.7	38.6	31.5	28.4	26.0	20.9	34.3	32.2	28.8	29.8	22.7
Female*	47.0	39.5	43.5	43.8	34.6	30.5	22.8	25.8	23.8	17.4	36.8	27.5	31.1	28.5	23.9
White*	51.0	43.9	42.0	44.8	35.0	33.8	26.0	25.4	21.4	18.2	34.8	30.6	28.5	26.4	22.6
Non-White or Hispanic*	58.5	56.9	63.9	58.7	50.8	42.8	41.1	41.9	47.8	30.4	35.0	31.5	39.8	45.8	32.3
GRADE 9th	43.4	33.7	35.5	31.3	20.7	27.3	23.3	17.5	17.8	10.8	23.3	20.5	19.7	18.1	11.4
10th	44.4	35.2	35.8	34.6	29.9	25.9	19.7	19.9	14.6	18.0	28.6	24.6	23.3	21.5	21.9
11th	58.8	51.1	50.0	44.7	40.8	42.6	24.9	28.5	24.5	19.6	39.7	33.6	34.7	27.7	24.5
12th	60.3	60.6	57.3	77.4	54.7	43.0	41.7	43.1	43.3	28.9	48.3	44.3	41.7	50.0	36.3

**Represents Grade Adjusted Data*

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

TABLE 9

SEXUAL BEHAVIOR
High School Students Who Have Had Sex

PERCENT OF COHORT WHO REPORTED HAVING:	Drank Alcohol or Used Drugs Before Having Sex the Last Time					Used a Condom the Last Time They Had Sex					First Had Sex at 12 or Younger				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	26.9	24.0	26.9	26.8	28.9	54.9	66.5	61.6	59.3	62.3	15.7	16.0	15.8	11.5	13.0
Male*	28.6	25.6	30.0	23.5	31.9	61.1	73.5	67.2	58.2	65.5	20.0	20.0	20.4	16.6	15.1
Female*	25.1	21.3	24.4	31.1	26.2	46.7	61.8	55.9	58.8	60.2	10.1	10.8	4.8	6.7	11.1
White*	27.5	24.1	26.7	23.8	29.3	54.9	68.0	61.8	59.0	62.9	14.1	14.3	13.7	9.6	11.0
Non-White or Hispanic*	22.8	24.3	35.2	57.8	23.5	55.0	56.7	64.2	65.3	62.9	25.2	32.5	31.8	14.7	26.0
GRADE 9th	28.5	31.7	26.1	32.6	25.5	58.1	69.2	72.6	63.7	68.0	33.1	30.3	34.5	23.3	25.0
10th	28.9	26.0	28.4	37.5	23.3	54.8	77.4	58.1	64.9	68.3	13.7	9.5	12.0	5.1	10.0
11th	20.8	16.1	30.8	23.1	36.1	53.3	56.4	61.7	64.1	59.7	8.5	14.3	10.1	12.8	12.2
12th	29.6	21.3	22.2	13.0	30.7	53.4	63.0	53.5	43.5	52.6	6.8	9.3	6.0	4.3	4.4

**Represents Grade Adjusted Data*

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

SAMPLE SIZES
High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	N* (Total Students Surveyed)					N* (Total Students Surveyed: Those Who Have Had Sex)				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS	1019	1051	938	569	1145	494	460	402	207	366
Male	517	511	459	263	549	214	208	205	105	181
Female	495	538	476	305	593	280	250	194	102	182
White	912	959	834	505	1021	438	407	339	175	316
Non-White or Hispanic	98	92	100	62	114	56	53	62	31	48
GRADE 9th	401	327	289	311	539	173	110	98	96	111
10th	281	271	216	130	206	124	95	77	45	61
11th	204	219	247	95	184	120	112	122	42	75
12th	121	231	182	31	213	73	140	102	24	116

* Ns may vary across categories due to missing cases.

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995 ,1997, and 1999

RELATIONSHIPS AMONG HIGH RISK BEHAVIORS*

High School Students: 1999

Of those who:	PERCENT WHO ALSO:	Had More than 5 Past 30 Days	Had Five or More Drinks in Row Past 30 Days	Had Five or More Cigarettes Every Day Past 30 Days	Used Marijuana, Past 30 Days	Ever Used Cocaine Past 30 Days	Had Sex Past 3 Months	Used Condom w/Last Sex (Of those who have had sex)	Carried a Weapon, Past 30 Days	Involved in Physical Fight, Past 12 Months	Seriously Considered Suicide, Past 12 Months
32.6% n=338	Had Five or More Drinks in Row Past 30 Days		45.8	23.4	44.8	13.5	42.4	62.9	24.6	47.4	27.5
19.8% n=184	Drove After Drinking Alcohol Past 30 Days	84.0		27.3	48.9	18.9	43.6	59.7	33.3	57.1	28.9
10.7% n=102	Smoked Cigarettes Every Day Past 30 Days	76.6	47.6		70.5	34.0	59.7	57.7	32.2	58.8	35.0
18.3% n=194	Used Marijuana Past 30 Days	79.5	49.0	37.8		23.1	54.0	65.1	27.2	57.0	31.3
5.6% n=60	Ever Used Cocaine	77.8	58.2	58.1	75.5		68.9	53.3	30.0	73.5	32.6
23.3% n=228	Had Sex Past 3 Months	61.7	38.9	27.5	45.3	18.7		59.3	23.4	53.4	32.1
62.3% n=214	Used Condom w/Last w/Last w/Last Sex (Of those who have had sex)	55.9	36.0	31.0	40.8	13.5	63.3		22.0	48.2	27.3
14.6% n=177	Carried a Weapon, Past 30 Days	50.2	35.6	20.8	31.3	10.8	33.3	58.0		60.5	21.9
29.7% n=362	Involved in Physical Fight, Past 12 Months	51.8	36.9	20.2	34.9	14.4	39.0	62.6	31.5		26.0
18.3% n=205	Seriously Considered Suicide, Past 12 Months	47.9	30.7	20.3	31.2	10.1	39.7	59.1	18.5	42.2	

* All Percentages Represent Grade Adjusted Data - See Introduction of this report for an explanation of grade-adjustment
 Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1999

TABLE 11

BODY WEIGHT
High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	Overweight (Slightly or Very)					Currently Trying to Lose Weight					Dieted to Lose or Not Gain Weight in Past 30 Days				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	33.9	33.7	27.8	29.6	33.1	41.8	41.9	41.3	41.2	45.6	Not included in the 1991 or 1993 surveys.		28.3	29.4	41.8
Male*	21.0	19.1	19.9	19.9	25.0	21.3	19.7	20.3	19.1	26.6			9.5	9.3	21.6
Female*	46.9	47.7	34.9	37.4	40.2	62.8	63.1	59.2	59.3	63.0			46.9	49.9	60.1
White*	34.7	33.2	28.5	28.9	33.2	42.6	42.5	41.1	40.7	45.8			28.9	29.8	42.3
Non-White or Hispanic*	24.5	41.2	21.2	34.9	35.5	33.6	38.3	49.9	46.1	37.7			24.5	25.1	36.4
GRADE 9th	34.7	37.5	31.1	31.9	30.7	44.9	46.9	44.1	41.8	39.6			28.9	32.4	39.4
10th	35.1	28.6	27.3	33.3	33.5	42.9	37.9	43.1	46.2	49.0			30.7	30.8	42.7
11th	31.0	35.3	27.9	33.3	35.0	37.3	40.1	40.4	44.1	47.0			28.0	25.5	41.0
12th	34.7	33.3	24.9	19.4	33.0	42.1	42.9	37.2	32.3	46.9		25.6	29.0	44.1	

*Represents Grade Adjusted Data

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

TABLE 10

PHYSICAL ACTIVITY
High School Students

PERCENT OF COHORT WHO REPORTED HAVING:	Vigorous Physical Activity on Three or More of the Previous Seven Days					Moderate Physical Activity on Five or More of the Previous Seven Days					Exercised to Strengthen Muscles on Three or More of the Previous Seven Days				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS*	67.9	69.0	68.4	63.5	67.6	<i>Not Included in the 1991 survey.</i>	19.3	18.1	15.9	28.1	48.6	57.0	54.7	53.3	58.4
Male*	75.7	73.4	77.2	65.3	74.8		21.1	21.0	17.6	31.2	58.1	65.0	60.3	60.2	63.6
Female*	60.1	64.4	59.9	63.2	61.1		17.4	15.3	15.2	25.1	38.9	48.9	49.6	48.2	52.1
White*	68.6	68.7	69.0	63.6	68.5		19.4	17.5	15.9	28.6	49.1	56.8	55.4	54.0	58.4
Non-White or Hispanic*	60.8	72.6	61.6	61.8	60.9		18.5	23.2	12.7	20.8	42.0	58.7	43.8	44.0	57.9
GRADE 9th	76.6	76.9	75.7	79.9	77.7		30.2	30.2	27.8	32.6	56.6	64.3	61.3	59.9	63.5
10th	66.7	70.3	65.9	62.3	66.3		15.2	13.1	10.2	26.3	48.0	54.1	53.5	51.9	63.1
11th	65.3	63.1	70.2	56.4	63.5		15.3	16.5	9.6	23.8	46.3	55.3	53.1	49.5	55.2
12th	62.8	65.5	61.3	54.8	62.7		16.2	12.2	16.1	29.7	43.0	54.1	50.8	51.6	51.2

*Represents Grade Adjusted Data

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995, 1997, and 1999

SAMPLE SIZES
High School Students Who Rode a Motorcycle or Bicycle

PERCENT OF COHORT WHO REPORTED HAVING:	N* (Total Students Surveyed: Those Who Reported Riding a Motorcycle Within Past 12 Months)					N* (Total Students Surveyed: Those Who Reported Riding a Bicycle Withing Past 12 Months)				
	1991	1993	1995	1997	1999	1991	1993	1995	1997	1999
ALL STUDENTS	322	278	214	122	244	837	831	721	493	928
Male	213	185	137	74	147	435	397	358	228	463
Female	109	93	76	48	97	402	433	361	265	463
White	301	254	188	110	226	762	773	654	445	833
Non-White or Hispanic	21	24	28	12	17	73	58	64	48	87
GRADE 9th	127	92	72	72	107	348	271	244	273	482
10th	78	67	47	25	50	237	228	175	114	156
11th	68	67	39	20	46	158	157	172	79	121
12th	45	50	54	5	40	89	173	127	26	168

* *Ns may vary across categories due to missing cases.*

Lincoln-Lancaster County Health Department, Youth Risk Behavior Survey: 1991, 1993, 1995 ,1997, and 1999